




## Cylindrische beschermstop type EP 270



Uitstekend geschikt voor bescherming van:

- Binnendraad
- Boorgaten
- Flenzen
- Buisuiteinden
- Armaturen

Maten (in mm)			Metrische draad	BSP	DIN 2402 flens	Artikel
d	D	H				
3.0	6.5	4.5				EP 270 / 3.0
3.5	7.0	5.0	M 4			EP 270 / 3.5
4.0	7.5	5.0				EP 270 / 4.0
4.5	8.0	5.0	M 5			EP 270 / 4.5
5.0	9.0	6.0	M 6			EP 270 / 5.0
5.5	9.0	6.0				EP 270 / 5.5
6.0	9.5	6.0	M 7			EP 270 / 6.0
6.5	10.0	7.0				EP 270 / 6.5
7.0	10.0	6.0	M 8			EP 270 / 7.0
7.5	10.5	6.5		M 8 x 1		EP 270 / 7.5
8.0	11.0	7.0				EP 270 / 8.0
8.5	11.5	7.5	M 10			EP 270 / 8.5
9.0	11.5	7.5		M 10 x 1	R .1/8"	EP 270 / 9.0
9.5	12.5	7.5				EP 270 / 9.5
10.0	13.0	8.5				EP 270 / 10.0
10.5	13.5	8.5	M 12	M 12 x 1.5	DN 10	EP 270 / 10.5
11.0	14.5	8.5				EP 270 / 11.0
11.5	14.5	8.5		M 12 x 1	R .1/4"	EP 270 / 11.5
12.0	14.5	9.0				EP 270 / 12.0
12.5	15.5	9.0	M 14			EP 270 / 12.5
13.0	16.5	9.5		M 14 x 1.5		EP 270 / 13.0
13.5	16.5	9.5				EP 270 / 13.5
14.0	17.5	10.0				EP 270 / 14.0
14.5	17.5	9.5	M 16			EP 270 / 14.5
15.0	18.0	9.5		M 16 x 1.5	R .3/8"	EP 270 / 15.0
15.5	18.5	9.5			DN 15	EP 270 / 15.5
16.0	19.5	10.0	M 18			EP 270 / 16.0
16.5	19.5	10.5		M 18 x 2		EP 270 / 16.5
17.0	20.5	10.5		M 18 x 1.5		EP 270 / 17.0
17.5	21.0	10.5				EP 270 / 17.5
18.0	21.5	10.5	M 20			EP 270 / 18.0
18.5	23.0	10.0		M 20 x 2		EP 270 / 18.5
19.0	22.0	10.0		M 20 x 1.5	R .1/2"	EP 270 / 19.0
19.5	23.0	10.5	M 22			EP 270 / 19.5
20.0	23.5	11.0				EP 270 / 20.0
20.5	24.5	10.5		M 22 x 2	DN 20	EP 270 / 20.5
21.0	24.5	11.0		M 22 x 1.5		EP 270 / 21.0
21.5	25.5	11.0	M 24		R .5/8"	EP 270 / 21.5
22.0	25.5	11.0				EP 270 / 22.0



Maten (in mm)							
d	D	H	Metrische draad		BSP	DIN 2402 flens	Artikel
22.5	26.0	10.5	M 24 x 2				EP 270 / 22.5
23.0	27.0	10.5			M 24 x 1.5		EP 270 / 23.0
23.5	27.0	10.5					EP 270 / 23.5
24.0	28.0	11.5					EP 270 / 24.0
24.5	28.0	10.5	M 27		R .3/4"		EP 270 / 24.5
25.0	28.0	12.0					EP 270 / 25.0
25.5	29.0	10.5	M 27 x 2			DN 25	EP 270 / 25.5
26.0	30.5	10.5			M 27 x 1.5		EP 270 / 26.0
26.5	30.0	10.5					EP 270 / 26.5
27.0	31.0	9.5	M 30		M 28 x 1.5		EP 270 / 27.0
27.5	31.0	10.5					EP 270 / 27.5
28.0	32.5	10.5					EP 270 / 28.0
28.5	32.0	10.0	M 30 x 2			R .7/8"	EP 270 / 28.5
29.0	32.0	9.5			M 30 x 1.5		EP 270 / 29.0
29.5	33.0	10.5					EP 270 / 29.5
30.0	33.0	10.0	M 33				EP 270 / 30.0
30.5	34.0	10.0				R 1."	EP 270 / 30.5
31.0	36.0	10.5					EP 270 / 31.0
31.5	35.0	10.5	M 33 x 2		M 32 x 1.5		EP 270 / 31.5
32.0	37.0	10.5					EP 270 / 32.0
32.6	38.0	10.5	M 32			DN 32	EP 270 / 32.6
33.0	38.0	10.5					EP 270 / 33.0
33.5	37.5	10.5	M 36 x 3				EP 270 / 33.5
34.0	38.5	10.5					EP 270 / 34.0
34.5	38.0	10.5					EP 270 / 34.5
35.0	40.0	10.5					EP 270 / 35.0
35.5	39.0	10.5	M 39		M 36 x 1.5		EP 270 / 35.5
36.0	41.0	11.0					EP 270 / 36.0
36.5	40.0	10.5					EP 270 / 36.5
37.0	42.0	11.0					EP 270 / 37.0
37.5	41.5	10.5	M 39 x 2				EP 270 / 37.5
38.0	43.0	10.5					EP 270 / 38.0
38.5	42.0	10.5	M 42		M 39 x 1.5		EP 270 / 38.5
39.0	44.0	10.5					EP 270 / 39.0
39.5	45.0	12.5	M 42 x 3			R 1.1/4"	EP 270 / 39.5
40.0	45.0	10.5	M 42 x 2				EP 270 / 40.0
41.0	46.0	10.5	M 45		M 42 x 1.5	DN 40	EP 270 / 41.0
42.0	46.5	10.5					EP 270 / 42.0
43.0	48.0	12.5	M 45 x 2				EP 270 / 43.0
44.0	49.0	10.5	M 48		M 45 x 1.5		EP 270 / 44.0
45.0	50.0	12.5					EP 270 / 45.0
46.0	51.0	12.5	M 48 x 2			R 1.1/2"	EP 270 / 46.0
47.0	51.5	10.5	M 52		M 48 x 1.5		EP 270 / 47.0
48.0	52.5	10.5	M 52 x 3				EP 270 / 48.0
49.0	54.5	11.0					EP 270 / 49.0
50.0	54.0	10.0	M 52 x 2				EP 270 / 50.0
51.0	56.0	11.0	M 56		M 52 x 1.5	DN 50	EP 270 / 51.0
52.0	57.5	11.0					EP 270 / 52.0
53.0	59.0	11.0					EP 270 / 53.0
54.0	61.0	11.0			M 55 x 1.5		EP 270 / 54.0
55.0	61.0	11.0			M 56 x 1.5		EP 270 / 55.0



d	D	Maten (in mm)		BSP	DIN 2402 flens	Artikel
		H	Metrische draad			
56.0	63.0	12.0	M 60 x 4			EP 270 / 56.0
57.0	61.0	10.0	M 60 x 2	M 60 x 1.5	R 2."	EP 270 / 57.0
58.0	65.0	11.0				EP 270 / 58.0
59.0	65.0	11.0				EP 270 / 59.0
60.0	65.0	11.0				EP 270 / 60.0
61.0	67.5	11.0				EP 270 / 61.0
62.0	68.0	11.0				EP 270 / 62.0
63.0	66.5	12.5				EP 270 / 63.0
63.5	70.0	10.5				EP 270 / 63.5
64.0	67.5	9.5				EP 270 / 64.0
65.0	69.0	10.0				EP 270 / 65.0
66.0	71.0	12.0			DN 65	EP 270 / 66.0
67.0	73.0	10.0				EP 270 / 67.0
68.0	75.0	11.0				EP 270 / 68.0
69.0	75.0	10.5				EP 270 / 69.0
70.0	74.0	11.0				EP 270 / 70.0
71.0	77.0	11.0				EP 270 / 71.0
71.5	75.0	10.0				EP 270 / 71.5
72.0	79.0	12.0				EP 270 / 72.0
73.0	76.5	9.5		R 2.1/2"		EP 270 / 73.0
74.0	77.5	10.5				EP 270 / 74.0
75.0	79.0	9.5				EP 270 / 75.0
76.0	80.0	10.5				EP 270 / 76.0
77.0	81.0	9.5				EP 270 / 77.0
78.0	82.0	10.5				EP 270 / 78.0
79.0	86.0	13.5				EP 270 / 79.0
80.0	84.0	9.5				EP 270 / 80.0
81.0	85.0	9.5			DN 80	EP 270 / 81.0
82.0	85.5	9.5				EP 270 / 82.0
83.0	86.5	9.5				EP 270 / 83.0
84.0	90.0	10.0				EP 270 / 84.0
84.5	90.0	8.0				EP 270 / 84.5
85.0	88.5	9.5				EP 270 / 85.0
86.0	90.0	9.5		R 3."		EP 270 / 86.0
86.5	90.0	9.5				EP 270 / 86.5
87.0	90.5	9.5				EP 270 / 87.0
88.0	91.5	9.5				EP 270 / 88.0
89.0	92.5	9.5				EP 270 / 89.0
90.0	93.5	9.5				EP 270 / 90.0
92.0	95.5	9.5				EP 270 / 92.0
94.0	98.0	9.5				EP 270 / 94.0
96.0	104.0	13.5				EP 270 / 96.0
184.0	194.0	16.0				EP 270 / 184.0
208.0	220.0	15.0				EP 270 / 208.0
233.0	245.0	16.0				EP 270 / 233.0
261.0	273.0	16.0				EP 270 / 261.0
285.0	298.0	18.0				EP 270 / 285.0
311.0	324.0	18.0				EP 270 / 311.0